



INDEX MAPS.

T. 26N, R. 2 W. 2nd Mer.

Meanders 207, 206



T. 27N, R. 2 W. 2nd Mer.



The figures on the lines refer to the page.

195

Township N. 26 North, Range N. 2 West 2. Mer. Indiana.

Township Lines.

South Boundary. Var. 6.00 E.

West on the S. Boundary of Sec. 36

November 28. 1819

24.50 a Brook 12 $\frac{1}{2}$ wide course N

40.00 set of sec. part from which

a Beech 12 in. dia. leans S 88 E 21 $\frac{1}{2}$ dist. 3

a W. Beech 9 " " " North 21 " "

80.00 set part cor. of sec. 25 & 36 from which

a Buckeye 9 in. dia. leans N 66 E 15 $\frac{1}{2}$ dist. 3

an Elm 36 " " " S 65 W 8 " "

Land level & 1 Frate, timber Beech, Sugar, Walnut
Elm, Oak &c.

West on the S. Boundary of Sec. 35

40.00 set of sec. part from which

a W. Oak 9 in. dia. leans N 24 E 28 $\frac{1}{2}$ dist. 3

a Buckeye 11 " " " S 48 W 9 " "

80.00 set part cor. of sec. 34 & 35 from which

a Sugar 27 in. dia. leans N 44 W 30 $\frac{1}{2}$ dist. 3

a Do 14 " " " S 30 E 14 " "

Land &c. same as on the last mile

West on the S. Boundary of Sec. 34

9.00 enter a wet Prairie

17.00 a beautiful Spring branch course SW

22.00 passed Prairie

40.00 set of sec. part from which

a W. Walnut 6 in. dia. leans N 64 E 7 $\frac{1}{2}$ dist. 3

a Walnut 12 " " " S 73 W 31 " "

75.00 enter Prairie

80.00 set part cor. of sec. 33 & 34 from which

an Elm 30 in. dia. leans S 57 $\frac{1}{2}$ E 35 $\frac{1}{2}$ dist. 4

an Oak 9 " " " West 350 " "

Land &c. same as on the last mile

T. 26 N., R. 2 W. 2. Mer. Ind. a.

Chs. 24?

West on the S. Boundary of Sec. 33

2.00 a Spring branch 3 lks. wide course N

3.50 passed Prairie

21.50 a Spring branch 15 lks. wide course N⁹W40.00 a B. Walnut 30 in. dia. stands for q. sec. cor.
a Buckeye 9 in. dia. bears S 45 E 11 lks. dist.46.44 set post on left bank of Wabash R. from which
an Elm 8 in. dia. bears N 71 E 5 lks. dist. &

a Do 9 " " " N 19 W 6 " "

First rate bottom

Surveyed in 1819 by William Harris, D. S.

Continued in 1828 by David Willis, D. S.

Var. 6° 06' E. Commencing at post in left

bank of Wabash R. The line running in the
river, an offset was made due North of 7 lks.

63 lks. and at 30 lks. came back to true line &

30.00 set post on right bank of Wabash R. from which

a Cherry 6 in. dia. bears N 61 E 17 lks. dist. &

a Sugar 23 " " " West 20 " "

33.56 set post cor. of sec. 32 & 33 from which

a Hackberry 7 in. dia. bears N 67 E 17 lks. dist. &

a Sugar 19 " " " N 71 W 43 " "

(Description of land & omitted)

West on the S. Boundary of Sec. 32

24.40 a W. Oak 16 in. dia.

40.00 set q. sec. post from which

a Hickory 8 in. dia. bears N 88 E 40 lks. dist. &

a Mulberry 14 " " " N 69 W 103 " "

42.73 a B. Ash 15 " "

44.58 Intersect lower end line of Connors Reserve

27.16 lks. from the corner thereof on the river,

set post from which

a Sugar 22 in. dia. bears N 32 W 30 lks. dist. &

a Do 28 " " " S 65 W 43 " "

80.00 set post cor. of sec. 31 & 32 from which

T. 26 N., R. 29 W. S. Mer. Ind. &

Elev. 189.

a Sugar 17 in. dia bears N 89 E 60 lbs. dist. 3
 an Elm 14 " " " N 129 W 24 " "
 Land broken T. rate, timber Sugar, Walnut & Oak
 Upr. Elm & Spruce

West on the S. Boundary of Sec. 31

13.26 a R. Oak 33 in. dia.

34.30 a Hickory 18 " "

40.00 set of sec. post from which

a Bur Oak 27 in. dia bears N 49 E 46 lbs. dist. 3

a Sugar 20 " " " N 56 W 60 " "

48.65 a Stream 14 lbs. wide course S

67.40 a W. Oak 28 in. dia.

76.53 Intersect W. Boundary 25 lbs. N. of temp. cor. —

set post cor. of T. 25 & 26 N., R. 2 & 3 W. from which

a Bur Oak 40 in. dia bears East 24 lbs. dist. 3

an Elm 24 " " " N 42 W 15 " "

Land level & T. rate, timber Oak & Hickory — Upr.

Hickory & Hazel May 9. 1828

East Boundary. Var. 5.55 E.

Bearings at cor. of T. 25 & 26 N., R. 1 & 2 W

a Sugar 15 in. dia bears S 30 W 25 lbs. dist. 3

a Beech 12 " " " N 19 E 33 " "

North on the E. Boundary of Sec. 36

November 27. 1819

19.00 a Creek 50 lbs. wide course W

40.00 set of sec. post from which

a Beech 8 in. dia bears S 13 E 38 lbs. dist. 3

a Do 27 " " " N 5 E 13 " "

57.50 a Creek 60 lbs. wide course NE

80.00 set post cor. of sec. 25 & 36 from which

an Oak 9 in. dia bears East 4 lbs. dist. 3

a W. Walnut 11 " " " N 40 W 12 " "

Land similar, part broken

T. 26 N., R. 2 W., T. 2. Sec. 25
Chs. 24.

North on the E. Boundary of Sec. 25

40.00 set of sec. post from which

a W. Oak 30 in. diameter S 58° W 120 ft. dist.

an Ironwood 8 " " " S 83° E 23 " "

80.00 set post cor. of sec. 24 & 25 from which

a Hackberry 9 in. diameter N 24° W 20 ft. dist.

a Buckeye 8 " " " S 42° E 11 " "

Land T. rate, N 1/2 mile bottom which never
overflows

North on the E. Boundary of Sec. 24

40.00 set of sec. post from which

an Ironwood 7 in. diameter N 69° E 13 ft. dist.

a Blue Ash 24 " " " N 70° W 17 " "

71.80 set post on left bank of Wabash R. from which

a Sugar 14 in. diameter N 17° E 15 ft. dist.

a Do 30 " " " S 88° W 40 " "

Land similar to that on last mile

Surveyed in 1819 by William Harris, D. S.

Continued in 1828 by David Hillis, D. S.

Var. 5. 55. E. Commencing at post on left
bank of Wabash R.

7.16 set post on right bank of Wabash River

8.19 set post cor. of sec. 13 & 24 from which

a Buckeye 15 in. diameter N 73° W 17 ft. dist.

a Hackberry 9 " " " S 67° E 3 " "

(Description of land & omitted)

North on the E. Boundary of Sec. 13

2.40 a Pecan 14 ft. wide corner S E

20.98 a Beech 16 in. dia.

40.00 set of sec. post from which

a Beech 16 in. diameter S 9° W 18 ft. dist.

a Sugar 12 " " " N 38° W 42 " "

65.46 a B. Walnut 58 in. dia.

75.50 S. Prairie

T. 26 N., R. 2 W. 2, Mer. Ind. a
Chs. Chs.

80.00 set part cor. of sec. 12 & 13 from which
a Gum 4 in. diam. bears S 73° W 278 lbs. dist. 8
a W. Walnut 18 " " " N 76° W 346 " "
Land hilly & 2. rate, timber Oak, Gum & Walnut
Ulp. Dogwood & Ironwood

North on the E. Boundary of Sec. 12

7.50 leave S. Prairie

7.75 Intersect NW. line of Reserve for Cicott's children
20.00 Chs. from the North easterly corner thereof
& set post from which

a W. Oak 8 in. diam. bears N 63° W 35 lbs. dist. 8

a Hickory 4 " " " S 48° W 12 " "

25.82 a Sugar 20 " "

40.00 set q. sec. post from which

a Hickory 7 in. diam. bears S 55° W 22 lbs. dist. 8

a W. Oak 30 " " " N 23° W 42 " "

45.40 a Stream course S E

63.48 a W. Oak 36 in. diam.

80.00 set part cor. of sec. 10 & 12 from which

a Hickory 12 in. diam. bears S 33° W 4 lbs. dist. 8

a B. Ash 13 " " " N 19° W 29 " "

Land & the same as on the last mile

North on the E. Boundary of Sec. 1

16.20 a B. Ash 36 in. diam.

40.00 set q. sec. post from which

a B. Ash 12 in. diam. bears S 57° W 32 lbs. dist. 8

a R. Oak 6 " " " N 46° W 5 " "

75.97 a Beech 30 " "

80.00 set temp. Township corner.

Land level & 2. rate, timber Oak, Beech, Sugar &

Poplar - Ulp. Hazel, Hickory & Ironwood

May 12. 1828

North Boundary. Var. 5° N. E.

T. 26 N., R. 2 W. 2. Mer. Ind.^a
 Ch. Ch.

Bearings at cor. of T. 26 & 27 N., R. 1 & 2 W
 a Hickory 6 in. dia. bears N 58 E 23 lbs. dist. 8
 a Sugar 20 " " " N 34 W 31 " " "
 West on the S. Boundary of Sec. 36, T. 27 N., R. 2 W
 20.42 a Br. Oak 33 in. dia.
 40.00 set of sec. part from which
 a B. Ash 14 in. dia. bears N 82 E 29 lbs. dist. 8
 a W. Oak 24 " " " N 62 W 16 " " "
 59.92 a B. Ash 13 " "
 80.00 set part cor. of sec. 35 & 36 from which
 a W. Oak 52 in. dia. bears N 84 E 47 lbs. dist. 8
 a Hickory 6 " " " N 46 W 20 " " "
 Land level 2. rate, timber Oak, Ash, Hickory &
 Walnut Wyr. Hazel, Dogwood & Ironwood

West on the S. Boundary of Sec. 35, T. 27 N., R. 2 W
 6.00 enter wet Prairie
 19.40 a Stream 18 lbs. wide course S W
 29.50 leave Prairie
 29.70 a W. Oak 17 in. dia.
 40.00 set of sec. part from which
 a W. Oak 14 in. dia. bears N 15 E 47 lbs. dist. 8
 a Hickory 4 " " " N 24 W 18 " " "
 58.88 a W. Oak 18 " "
 61.00 enter wet Prairie
 78.50 a Stream 14 lbs. wide course S E
 80.00 set part cor. of sec. 34 & 35 from which
 a Sassafras 10 in. dia. bears West 42 3 lbs. dist.
 (no other Bearing trees)
 Land rolling 2. rate, timber Oak, no Wyr.

West on the S. Boundary of Sec. 34, T. 27 N., R. 2 W.
 3.50 leave Prairie
 22.37 a B. Ash 12 in. dia.
 40.00 set of sec. part from which
 a W. Walnut 8 in. dia. bears N 41 E 6 lbs. dist. 8

T. 26 N., R. 27 W. 2.^d Mer. Ind.th
Chr. Lkr.

a W. Walnut 4 in. diameter N 68° W 30 Ms. dist.
57.24 a R. Oak 24 " "
80.00 set post cor. of sec. 33 & 34 from which
a Beech 33 in. diameter East 43 Ms. dist. 8
a Sugar 14 " " " N 43° W 22 " "
Land level & T. Gate, timber Elm, Oak, Ash, Wal-
nut & Sugar - Upr. Hazel & W. Walnut

West on the S. Boundary of Sec. 33, T. 27 N., R. 27 W
10.40 an Elm 13 in. dia.

29.07 a Cottonwood 13 in. dia.

40.00 set of sec. post from which

a B. Ash 18 in. diameter N 72° E 45 Ms. dist. 8

a Dr 36 " " " N 13° W 20 " "

56.17 a R. Oak 33 " "

80.00 set post cor. of sec. 32 & 33 from which

a Coffeenut 12 in. diameter N 48° E 9 Ms. dist. 8

an Elm 21 " " " N 24° W 32 " "

Land the same as before noted

West on the S. Boundary of Sec. 32, T. 27 N., R. 27 W
10.00 enter Barrens

21.93 a Bur Oak 14 in. dia.

35.07 a Dr 24 " "

40.00 set of sec. post from which

a Bur Oak 24 in. diameter East 49° Ms. dist. 8

a W. Oak 36 " " " N 25° E 75 " " "

enter wet Prairie

80.00 set post cor. of sec. 31 & 32, Water too deep to
raise a mound (no bearing trees)

Land wet Prairie & Barrens. 1. Gate

West on the S. Boundary of Sec. 31, T. 27 N., R. 27 W

37.00 leave Prairie

40.00 set of sec. post from which

a W. Oak 30 in. diameter N 80° E 38 Ms. dist. 8

T. 26 N., R. 2 W. 3. Mer. Ind. a.
Ch. Lk.

- a W. Oak 28 in. diam. bears N 28 W 56 lbs. dist.
47.42 a B. Oak 29 " "
77.50 Intersection W. Boundary 400 W. S. of temp. post -
set post at intersection cor. of T. 26 & 27 N., R. 2 & 3
W. from which
a W. Oak 24 in. diam. bears N 85 E 97 lbs. dist. 8
a Lk 15 " " " N 80 W 53 " "
Land level, 1 $\frac{1}{2}$ mile wet Prairie, 2 $\frac{1}{2}$ mile
Oak, no Wgs. Soil 2^o rate

West Boundary.

- North on the E. Boundary of Sec. 36, T. 26 N., R. 3 W
30.47 a W. Oak 30 in. diam.
40.00 set g. sec. post from which
a W. Oak 20 in. diam. bears S 67 W 139 lbs. dist. 8
a Lk 24 " " " N 86 W 139 " "
74.08 a Lk 36 " "
80.00 set post cor. of sec. 25 & 36 from which
a R. Oak 27 in. diam. bears S 35 W 46 lbs. dist. 8
a W. Oak 12 " " " N 29 W 123 " "
Land level 2^o rate, timber Oak & Hickory; Wgs.
Hazel & Sapapap

North on the E. Boundary of Sec. 25, T. 26 N., R. 3 W
38.50 a Bur Oak 26 in. diam.

- 40.00 set g. sec. post from which
a Bur Oak 24 in. diam. bears South 58 lbs. dist. 8
a R. Oak 27 " " " N 53 W 53 " "
51.51 a Lk 24 " "
70.06 a Lk 60 " "
80.00 set post cor. of sec. 24 & 25 from which
a Bur Oak - in. diam. bears S 56 W 115 lbs. dist. 8
a R. Oak - " " " N 67 W 69 " "
Land & the same as before described.

North on the E. Boundary of Sec. 24, T. 26 N., R. 3 W

T. 26 N., R. 2 W. 2. Mer. Ind. a.
Chp. 1st.

35.74 a W. Oak 36 in. dia.

40.00 set of sec. post from which
a Sugar 21 in. dia. bears S 21° W 109 yds. dist. S
a W. Oak 30 " " " N 43° W 102 " " "

71.57 a Beech 18 " "

80.00 set post cor. of sec. 13 & 24 from which
an Elm 24 in. dia. bears S 31° W 76 yds. dist. S
a W. Oak 30 " " " N 13° W 57 " " "
Land level 2^d rate, thinly timbered with Oak

North on the E. Boundary of Sec. 13, T. 26 N., R. 3 W

1.00 enter Prairie

40.00 set of sec. post from which
a W. Oak 24 in. dia. bears N 28° W 121 yds. dist. S
leave Prairie (no other bearing tree)

57.55 a W. Oak 30 in. dia.

80.00 set post cor. of sec. 12 & 13 from which
a B. Oak 14 in. dia. bears S 15° W 78 yds. dist. S
a Do 18 " " " N 40° W 28 " " "
Land level & 2^d rate, Barrens some scattering
Oak

North on the E. Boundary of Sec. 12, T. 26 N., R. 3 W

21.07 a W. Oak 24 in. dia.

25.30 a Stream 20 yds. wide course S E

40.00 set of sec. post from which
a Bur Oak 24 in. dia. bears S 37° W 58 yds. dist. S
a W. Oak 30 " " " N 26° W 112 " " "

58.86 a Bur Oak 24 " "

80.00 set post cor. of sec. 1 & 12 from which
a Bur Oak 27 in. dia. bears S 22° W 113 yds. dist. S
a W. Oak 30 " " " N 29° W 119 " " "
Land the same as before described

North on the E. Boundary of Sec. 1, T. 26 N., R. 3 W

30.88 a W. Oak 20 in. dia.

T. 26 N., R. 29 W. S. Mer. Ind. a

Ech. 4th.

40.00 set of sec. part from which

a W. Oak 21 in. diameter South 4 lbs. dist. 8

a Dr 24 " " " N 57 W 81 " "

72.02 a Dr 24 " "

80.00 set temp. Township corner.

Land same as last described.

Surveyed in 1828 by David Hillis
Dep. Surveyor.

Subdivision. Var. 5° 50' E.

North between Sec. 35 & 36, T. 26 N., R. 29 W

13.39 a Sugar 36 in. dia.

38.06 a Beech 15 " "

40.00 set of sec. part from which

a Beech 24 in. diameter S 45 E 10 lbs. dist. 8

a Dr 16 " " " N 17 W 30 " "

46.00 a Walnut 27 " "

59.73 a Beech 20 " "

80.00 set part cor. of Sec. 25, 26, 35 & 36 from which

a W. Oak 10 in. diameter N 24 E 23 lbs. dist. 8

a Hickory 8 " " " S 73 E 11 " "

First 1/2 mile 1st rate open wood - 2nd 1/2 mile 2nd
rate, timber Walnut, Sugar, Beech &c.

East in Random between Sec. 25 & 36

40.00 set temp. of sec. part

80.12 Interest E. Boundary 15 lbs. N. of part -

Land level 2nd rate, open wood, timber Walnut,
Sugar, Beech &c.

West Corrected between Sec. 25 & 36

40.06 set of sec. part at aver. dist. from which

a Hickory 8 in. diameter N 19 W 25 lbs. dist. 8

a Beech 30 " " " S 70 E 18 " "

80.12 to sec. cor.

T. 26 N., R. 2 W. 2. Mer. Ind. "

Chs. Chs.

North between Sec. 25 & 26

21.58 a W. Oak 24 in. dia.

26.50 enter wet Prairie

33.00 leave " enter timbered land

40.00 set of sec. post from which

a Buckeye 10 in. dia. bears S 50° E 22 lbs. dist. 3

a Sugar 12 " " " N 35° W 19 " "

43.13 a Birch 8 lbs. wide corner NW

59.37 a Poplar 36 in. dia.

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a B. Oak 36 in. dia. bears — 34° E 17 lbs. dist. 3

a Spr 20 " " " N 34° W 38 " "

Land T. 1/2 mile Swampy, 2 1/2 mile 1 1/2 mile
Bottom, timber Buckeye, Walnut & Alder.
Spruce &

East on Random between Sec. 24 & 25

10.00 leave Bottom

40.00 set temp. of sec. post

80.15 Intersect E. Boundary 20 lbs. N. of post —

Land brushy, timber W. Oak &

West. Corrected between Sec. 24 & 25

40.07 1/2 set of sec. post at aver. dist. from which

a B. Oak — in. dia. bears S 42° W 12 lbs. dist. 3

a W. Oak 18 " " " N 17° E 32 " "

80.15 to sec. cor. August 22, 1821

North between Sec. 23 & 24

9.87 a W. Oak 24 in. dia.

10.37 set post on left bank of Wabash R. from which

an Elm 24 in. dia. bears N 68° E 25 lbs. dist. 3

a Sugar 24 " " " S 60° W 40 " "

(Description of land & omitted)

West between Sec. 23 & 26

T. 26 N., R. 2 W., S. 2 Mer. Ind. a

Chas. Ek.

4.38 a Blue Ash 26 in. dia.

9.40 set post on left bank of Wabash R. from which
a Buckeye 14 in. dia. bears N 36 E 7 1/2 m. dist. 3

a Do 14 " " " S 30 W 16 " "

(Description of land &c. omitted)

North between Secs. 34 & 35

7.50 enter wet Prairie

10.00 leave " " & enter timbered land

16.17 a B. Oak 30 in. dia.

40.00 set g. sec. post from which

an Ash 9 in. dia. bears S 49 W 7 1/2 m. dist. 3

a Do 12 " " " N 39 E 19 " "

44.74 a W. Oak 18 " "

63.47 a Sugar 30 " "

80.00 set post on g. sec. 20, 27, 34 & 35 from which

an Elm 14 in. dia. bears S 66 W 4 1/2 m. dist. 3

a W. Oak 36 " " " N 58 E 46 " "

Land T. 1/2 mile level & wet, 2 1/2 miles 1.75 rate bottom
W. Spice & Pawpaw

East in Pradom between Secs. 20 & 35

40.00 set temp. g. sec. post

80.00 Intersect N. S. line at post -

Land T. 1/2 mile T. rate bottom, 2 1/2 miles 2.25 rate,
brusky low timber, Walnut, Ash &c.

West Correlated between Secs. 20 & 35

40.00 set g. sec. post at aver. dist. from which

a Buckeye 10 in. dia. bears N 8 W 14 1/2 m. dist. 3

a Do 30 " " " S 27 E 21 " "

80.00 to sec. cor. August 23. 1821

North between Secs. 20 & 27

9.30 an Elm 24 in. dia.

18.03 set post on left bank of Wabash R. from which

T. 26 N., R. 27 W. 2. Mer. Ind. ^a
 Chs. Sh.

a W. Oak 15 in. diameter N 48 E 18 lbs. dist. 3
 a Buckeye 10 " " " S 42 W 8 " "
 (Description of land & omitted)

West between Sec. 27 & 34

0.10 an Elm 30 in. dia.

24.85 Sit port in left bank of Wabash R. from which
 a Buckeye 10 in. diameter S 40 W 8 lbs. dist. 3
 a Do 12 " " " N 55 E 32 " "
 (Description of land & omitted)

North between Sec. 33 & 34

11.47 a Hackberry 24 in. dia.

30.00 a Do 36 " "

35.02 Sit port in left bank of Wabash R. from which
 a Mulberry 8 in. diameter S 31 W 6 lbs. dist. 3
 a Sugar 12 " " " S 26 E 8 " "
 Land 1. Frate bottom, timber Walnut, Hickory &

Meanders of Wabash River. Beginning at
 port in S. Boundary on left bank, thence up
 stream

Course	Dist. Chs. Sh.	Remarks
N 80 E	14.45	In Sec. 33
N 47 E	8.17	
N 38 E	25.43	
N 54 1/2 E	13.09	to port in line between Sec. 33 & 34
N 57 E	8.18	In Sec. 34
N 73 E	14.50	
N 56 E	11.61	
N 38 1/4 E	38.28	to port in line between Sec. 27 & 34
N 54 E	6.95	In Sec. 27
N 61 E	9.15	

T. M. N., R. 2 W., T. 2 Mer. Ind. 4

Course E. & W.

Remarks

N49½E 14.75 to post in line between Sects 26 & 27

N42E 5.00 In Sec. 26

N7E 9.00

N50E 6.14

N79E 6.44

East 7.26

N78E 6.26

N65E 3.27

N51E 19.26

N44E 17.00

N37E 20.47 to post in line between Sects. 23 & 26

N41E 11.17 In Sec. 23

N47½E 2.90 to post in line between Sects. 23 & 24

N50E 9.50 In Sec. 24

N60E 29.00

N42E 35.43

N53E 24.10

N89½E 4.83 to post in E. Boundary

August 24, 1821

Surveyed by Henry Bryan
Dep. Surveyor.

North between Sects. 31 & 32

21.92 a Hickory 24 in. dia.

40.00 cut of sec. post from which

a Hickory 18 in. dia. bears S9 E 92 W. dist 8

a Do 15 " " " S62 W 64 " "

46.00 a W. Oak 24 " "

63.14 a R. Oak 18 " "

80.00 cut post cor. of Sects. 29, 30, 31 & 32 from which

a W. Oak 30 in. dia. bears S24 E 19 W. dist 8

a Do 30 " " " S88 W 32 " "

Land level & 2. rate, timber Oak, Hickory, Wye.

T. 26 N., R. 2 W. 2 E. Mer. Ind. a.
Ch. Lk.

Hickory & Saprasp

East between Sec. 29 & 32

24.22 a W. Oak 22 in. dia.

40.00 set of sec. part from which

a W. Oak 40 in. dia. bears West 8 W. dist. 8

an Elm 15 " " " S 37 E 35 " "

66.92 set part on right bank of Mahesh R. from which

N W. side of Conners Reserve from which

add. Ark 24 in. dia. bears S 5 W 12 W. dist. 8

a W. Oak 24 " " " N 5 W 25 " "

The part stands 73.00 Ch. from the most westerly corner of said Reserve

Land level & 1st rate timber Sugar, Ark

Upr. same

West between Sec. 30 & 31

21.15 a W. Oak 30 in. dia.

40.00 set of sec. part from which

a Bur Oak 30 in. dia. bears S 86 E 50 W. dist. 8

a W. Oak 21 " " " N 50 W 30 " "

64.28 a B. Ark 10 " "

77.88 Intersect NW Boundary 10 W. S. of part -

set part at intersection C. of Sec. 30 & 31 from which

a W. Oak 48 in. dia. bears S 65 E 7 W. dist. 8

a Hickory 20 " " " N 47 E 12 " "

Land the same as last described

North between Sec. 29 & 30

19.82 a W. Oak 36 in. dia.

40.00 set of sec. part from which

a B. Walnut 5 in. dia. bears South 19 W. dist. 8

a Cherry 7 " " " North 12 " "

60.07 a B. Oak 12 " "

80.00 set part C. of sec. 19, 20, 29 & 30 from which

an Aspen 20 in. dia. bears S 32 W 10 W. dist. 8

T. 26 N., R. 2 W., 2. Mer. Ind. &
Chs. St.

a Cherry 7 in. diam bears N 34 E 9 lbs. dit.
Sand level 2. rate, timber Oak & Hickory
Upr. Hazel & Hickory

West between Sec. 19 & 30

25.41 a B. Ash 2 7/8 in. dia.

40.00 at g. sec. port from which

a Hickory 18 in. diam bears S 84 E 7 1/2 lbs. dit.

a W. Oak 17 " " " N 89 W 110 " "

78.00 Intersect W. Boundary 159 lbs. S. of port -

at port at intersection cor. of sec. 19 & 30 from which

a B. Oak 50 in. diam bears S 25 W 18 lbs. dit.

a Bur Oak 24 " " " N 12 E 19 " "

Land the same as before described

North between Sec. 19 & 20

22.25 a Bur Oak 12 in. dia.

40.00 at g. sec. port from which

a B. Ash 2 7/8 in. diam bears S 62 E 4 lbs. dit.

an Ironwood 5 " " " N 64 W 2 " "

55.70 a W. Oak 22 " "

66.25 a Stream 20 lbs. wide cor. S E

75.35 at port cor. of sec. 17, 18, 19 & 20 from which

a Sugar 23 in. diam bears S 29 W 11 lbs. dit.

a Buckeye 7 " " " N 87 E 7 " "

Land a little broken T. rate, timber Sugar & Wal-
nut, Upr. Sugar & Hazel

West between Sec. 18 & 19

2.10 a Stream 20 lbs. wide cor. S E

19.00 a Do 25 " " " S E

26.22 an Ironwood 6 in. dia.

40.00 at g. sec. port from which

a B. Oak 33 in. diam bears S 75 E 9 lbs. dit.

a Do 10 " " " S 86 W 38 " "

58.54 a S. Ash 20 " "

T. 26 N., R. 24 W. 2. Sec. 1 Ind. a
Ch. Ch.

78.09 Entered W. Boundary 85 hrs. S. of port -
tot port at intersection ca. of sec. 18 & 19 from which
a Run 1/4 Sec 40 in direction N 66 E 41 hrs. dist 8
a Sec 20 4 4 4 N 18 E 68 4 4
Land as before described February 9, 1829

Cart on Random between Sec. 17 & 20

40.00 tot temp. gr. sec. port
50.80 a Stream 20 hrs. wide course S W
80.00 tot temp. port for ca. of sec. 16, 17, 20 & 21
Land level & T. state, timber Sugar & Walnut
Upr. Spice & Hazel

Cart on Random between Sec. 16 & 21

0.10 a Stream 10 hrs. wide course S W
40.00 tot temp. gr. sec. port
54.25 a Stream 20 hrs. wide course S W
77.50 a Sec 15 4 4 4 S E
80.00 tot temp. port for ca. of sec. 15, 16, 21 & 22
Land & timber as before noted

Cart on Random between Sec. 15 & 22

40.00 tot temp. gr. sec. port
48.35 a Stream 10 hrs. wide course S W
57.00 a Sec 12 4 4 4 S W
70.20 a Sec 15 4 4 4 S W
80.00 tot temp. port for ca. of sec. 14, 15, 22 & 23
Land hilly & T. state, timber Sugar, Walnut
& Poplar Upr. Spice & Dogwood

Cart on Random between Sec. 14 & 23

40.00 tot temp. gr. sec. port
80.00 tot temp. port for ca. of sec. 13, 14, 23 & 24
Land level, soil & timber as before noted

Cart on Random between Sec. 13 & 24

T. 26 N., R. 2 W. 3. Mea. Ind.^a
Chs. Shs.

4.71 set temp. post on the W. side of the Reserve for
Eicotts children
79.50 Interest E. Boundary 180 Yds. N. of post -
in Reserve

West Cornered between Secs. 13 & 24

74.79 set post on the W. line of Reserve 40.03 Chs.
S. from the NW. cor. thereof, from which
a Beech 20 in. dia. bears N 5 E 9 Yds. dist. &
a Do 14 " " " S 26 W 31 " "

79.90 set post cor. of sec. 13, 14, 23 & 24 at corner. dist.
on true line from which
a Beech 20 in. dia. bears N 10 E 30 Yds. dist. &
a Do 17 " " " S 32 W 24 " "

South between Secs. 23 & 24

26.62 a Sugar 24 in. dia.

39.75 a Stream 12 Yds. wide course E

40.00 set g. sec. post from which
a Sugar 6 in. dia. bears N 10 W 12 Yds. dist. &
an Elm 10 " " " S 45 W 13 " "

46.10 a B. Walnut 42 in. dia.

59.70 set post on right bank of Wabash R. from
which a Hackberry 20 in. dia. bears N 2 E 6 Yds. dist. &

an Elm 30 " " " S 56 W 32 " "
Land 1st mile hilly & rate, timber Poplar &
Beech, 2^d mile 1st rate level bottom, timber
Sugar, Buckeye, Walnut & Hackberry; Ulys.
Pawpaw & Hackberry February 10. 1829

North between 13 & 14

12.24 a P. Oak 36 in. dia.

40.00 set g. sec. post from which
a Beech 20 in. dia. bears S 59 W 13 Yds. dist. &
a Lynn 3 " " " N 47 E 14 " "

59.21 a Beech 27 " "

T. 26 N., R. 24 W. 2. Mer. Ind.

Chs. Chs.

80.00 set post cor. of sec. 11, 12, 13 & 14 from which
 a W. Oak 30 in. diameter S 76° W 18 lbs. dist. 8
 a Beech 24 " " " N 58° E 33 " "
 Land level 2. rate, timber Oak, Poplar & Beech
 Upr. Ironwood & Hickory

East on Random between Sec. 12 & 13

40.00 set temp. g. sec. post

68.50 set temp. post on the N.W. side of the Reserve
for Cicott's children

80.00 Intersect E. Boundary 6 lbs. N. of post
 Land as before noted

West Connected between Sec. 12 & 13

11.50 set post on N.W. side of the Reserve from which
an Elm 18 in. diameter N 76° W 24 lbs. dist. 8

a Beech 30 " " " N 65° E 34 " "

The post stands 40.86 Chs. from the N.E. cor.

40.00 set g. sec. post from which

a Beech 24 in. diameter N 66° E 36 lbs. dist. 8

a W. Oak 18 " " " S 27° W 56 " "

80.00 to sec. cor.

North between Sec. 11 & 12

11.96 a Poplar 48 in. dia.

40.00 set g. sec. post from which

a W. Oak 32 in. diameter S 40° E 18 lbs. dist. 8

a R. Oak 6 " " " N 8° W 28 " "

63.20 a Poplar 24 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

an Ironwood 7 in. diameter S 27° W 9 lbs. dist. 8

a R. Oak 6 " " " N 22° W 11 " "

Land level 2. rate, timber Poplar, Sugar &
 Walnut; Upr. Ash & Hickory

East on Random between Sec. 12 & 13

T. 20 N., R. 2 W. 2. Mer. Ind. Co.

Chas. L. H.

23.14 a Stream 40 lbs. wide corner SE

40.00 set temp. g. sec. port

80.10. Interest E. Boundary at port -

Land some broken 2. rate, timber all fr.
as before described.

West Connected between Sec. 1 & 12

40.05 set g. sec. port at aver. dist from which

a Hickory 20 in. diameter 904 E 8 lbs. dist 8

a W. Oak 40 " " " 960 W 8 " "

80.10. to sec. cor.

North between Sec. 1 & 2

11.00 a Stream 30 lbs. wide corner SE

28.85 a R. Oak 18 in. dia.

40.00 set g. sec. port from which

a W. Oak 48 in. diameter 159 W 9 lbs. dist 8

a Do 6 " " " 973 E 27 " "

50.25 an Elm 20 " "

78.00 Interest N. Boundary 180 lbs. W. of port -

set port at intersection cor. of sec. 1 & 2 from which

an Aspen 7 in. diameter 117 E 8 lbs. dist 8

a Do 6 " " " 117 W 6 " "

Land hilly 2. rate, timber Oak, Beech &

W. Juniper & Hazel February 11. 1829

West Connected between Sec. 14 & 23

39.95 set g. sec. port at aver. dist from which

a Hickory 20 in. diameter 972 E 13 lbs. dist 8

a B. Ash 7 " " " 972 W 33 " "

79.90 set port cor. of sec. 14, 15, 22 & 23 from which

a Beech 16 in. diameter 926 E 35 lbs. dist 8

a Do 16 " " " 1206 W 3 " "

South between Sec. 22 & 23

19.37 a Beech 30 in. dia.

L. H. H.

T. 26 N., R. 2 W., 2. Mer. Ind.^a

Chs. Chs.

34.07 a B. Ash 20 in. dia.

40.00 set of sec. port from which

a Beech 15 in. dia. bears N 19 E 32 lbs. dist. 8

a Do 16 " " " S 10 W 26 " "

52.38 a W. Oak 21 " "

80.00 set port cor. of sec. 22, 23, 26 & 27 from which

a Buckeye 8 in. dia. bears N 27 E 11 lbs. dist. 8

a Do 14 " " " S 6 W 21 " "

Land hilly, T. Rate, timber Sugar, Buckeye & Walnut; Ugly. P. Ash, Pawpaw & Grapevine

East between Sec. 23 & 26

17.25 a Buckeye 20 in. dia.

40.00 set of sec. port from which

a Buckeye 10 in. dia. bears N 74 W 30 lbs. dist. 8

a Do 16 " " " S 71 E 13 " "

53.83 a Do 18 " "

60.87 set port on right bank of Wabash R. from which

a Buckeye 16 in. dia. bears N 13 E 4 lbs. dist. 8

a Do 15 " " " S 6 W 5 " "

Land T. Rate bottom

South between Sec. 26 & 27

20.00 a B. Walnut 7 in. dia.

29.70 Entered Conners Reservoir 8.45 Chs. from upper corner on the River, set port from which

a Hackberry 24 in. dia. bears N 37 W 15 lbs. dist. 8

a Buckeye 16 " " " N 71 E 15 " "

First rate bottom land

West between Sec. 22 & 27

7.00 an Elm 24 in. dia.

24.50 set port on the N.E. side of Conners Reservoir

46.00 Chs. from the upper cor. on the river from which a W. Oak 20 in. dia. bears S 31 E 9 lbs. dist. 8

a Do 24 " " " N 53 W 5 " "

T. W. N., R. 2 W. T. Mer. Ind.^a
Chs. Ind.

Land hilly & rate, timber Oak, Wgs. Hazel
February 12, 1829

North between Sec. 14 & 15

14.41 a Poplar 45 in. dia.

40.00 set of sec. port from which

a Beech 18 in. diameter N 71 W 30 lbs. dist. 8

a Sugar 22 " " " S 52 E 31 " "

64.81 a Hickory 12 " "

80.00 set port cor. of sec. 10, 11, 14 & 15 from which

a R. Oak 18 in. diameter S 33 E 18 lbs. dist. 8

a W. Oak 20 " " " S 40 W 30 " "

Land level T. rate, timber Sugar, Ash & Poplar
Wgs. Ironwood &c.

East in Random between Sec. 11 & 14

40.00 set temp. of sec. port

80.00 Interest N & S line 3 lbs. N. of port -

Land as before noted

West Corrected between Sec. 11 & 14

40.00 set of sec. port at aver. dist. from which

a Burr Oak 13 in. diameter N 70 E 26 lbs. dist. 8

a R. Oak 14 " " " S 84 W 25 " "

80.00 to sec. cor.

North between Sec. 10 & 11

21.55 a Hickory 22 in. dia.

40.00 set of sec. port from which

a Beech 18 in. diameter N 58 W 4 lbs. dist. 8

a Do 18 " " " S 42 E 46 " "

55.07 a B. Ash 18 " "

80.00 set port cor. of sec. 2, 3, 10 & 11 from which

a W. Walnut 14 in. diameter S 25 E 10 lbs. dist. 8

a B. Walnut 6 " " " N 70 W 18 " "

Land as before noted

T. 26. N., R. 27. W. 2. Mer. Ind. a.
Chr. Chr.

East on Random between Sec 4 2d & 11

40.00 let temp. gr. sec. port

75.00 a Stream 11 hrs. wide course NE

79.92 Entered N. S. line 45 hrs. N. of port -
Land the same as before noted

West Carcated between Sec. 2d & 11

39.96 let gr. sec. port at aver. dist. from which
a Sugar 16 in. dia. bears N 61 E 26 hrs. dist. 3
a Do 15 " " " N 82 71 26 " "

79.92 to sec. cor.

North between Sec. 2d & 3

21.09 a Beech 24 in. dia.

31.25 a Sugar 20 " "

40.00 let gr. sec. port from which
a Sugar 18 in. dia. bears S 40 E 30 hrs. dist. 3
a Beech 28 " " " N 18 71 26 " "

53.84 a Bur Oak 36 " "

74.00 enter Prairie

77.56 Entered N. Boundary 19 hrs. W. of port -
let port at intersection cor. of Sec. 2d & 3 from which
a Willow 3 in. dia. bears N 33 E 37 hrs. dist. 3
a Do 3 " " " N 32 E 37 " "
Land &c. as before noted

West Carcated between Sec. 15 & 22

39.95 let gr. sec. port at aver. dist. from which
a B. Walnut 26 in. dia. bears N 72 E 44 hrs. dist. 3
a Do 32 " " " S 92 71 27 " "

79.90 let port cor. of Sec. 15, 16, 21 & 22 at aver. dist. from
which an Elmwood 3 in. dia. bears N 83 71 21 hrs. dist.
& a Beech 20 " " " S 64 E 19 " "
February 13. 1829

South between Sec. 21 & 22

T. 26 N., R. 2 W., E. Mer. Ind.^a
Ch. 24.

25.28 a Poplar 30 in. dia.

40.00 set of sec. post from which

a R. Oak 27 in. dia. bears N 21 E 60 lbs. dist. 8

a Beech 30 " " " S 44 W 43 " "

50.11 a B. Ash 28 " "

80.00 set post cu. of sec. 21, 22, 27 & 28 from which

a Cherry 7 in. dia. bears N 79 W 22 lbs. dist. 8

a W. Oak 6 " " " S 6 E 19 " "

Sand broken L. rate, timber Ash, Poplar &

Wye, Sumner & Hickory

South between Sec. 27 & 28

4.80 a Stream 55 lbs. wide course E

10.77 set post on the N W. side of Corners Reserve

from which a Buckeye Elm dia. bears N 55 W 21 lbs. dist.

& a Sugar 7 " " " N 72 W 25 " "

East between Sec. 22 & 27

14.75 set post on the N W. side of Corners Reserve

33.21 Ebs. from the northernmost corner of said Reserve, from which

a L. Ash 30 in. dia. bears S 20 W 124 lbs. dist. 8

a Bur Oak 20 " " " S 36 W 103 " "

North between Sec. 15 & 16

12.35 a Beech 19 in. dia.

19.50 a Stream 18 lbs. wide course S W

21.15 a Do 18 " " " S E

22.35 a Do 18 " " " S W

23.00 a Do 18 " " " S E

28.50 a Do 15 " " " S W

30.35 a Do 14 " " " S E

31.92 a Do 14 " " " S W

32.75 a Do 15 " " " S E

34.58 a Do 14 " " " S W

35.02 a Do 16 " " " S E

T. 26 N., R. 2 W. 2. Mer. Ind. a

Chr. Sk.

- 39.50 a Stream 16 hrs. wide course S W
 40.00 set of sec. part from which
 a Buckeye 12 in. dia. bears S 28 W 35 hrs. dist. 8
 an Elm 22 " " " N 23 W 13 " " "
 43.50 a Stream 14 hrs. wide course S E
 50.92 a S. Ash 4 in. dia.
 80.00 set part cor. of sec. 9, 10, 15 & 16 from which
 a Hickory 24 in. dia. bears S 42 W 18 hrs. dist. 8
 a Beech 18 " " " S 79 E 22 " "
 Land a little broken T. State, timber Ash,
 Walnut & Elm; Ugly. Elm & Hazel

East on Random between Sec. 10 & 15

- 31.00 a Stream 12 hrs. wide course S W
 40.00 set temp. of sec. part
 79.81 Intersect N & S. line 27 hrs. N. of point -
 Land level 2. State, timber Beech, Oak, Hickory
 Ugly. Ironwood &c.

West Corrected between Sec. 10 & 15

- 39.90 set of sec. part at avci. dist. from which
 a B. Walnut 5 in. dia. bears S 65 E 21 hrs. dist. 8
 a Do 3 " " " N 56 W 15 " "
 79.81 to sec. cor.

North between Sec. 9 & 10

- 13.32 an Elm 17 in. dia.
 31.00 a R. Oak 30 " "
 40.00 set of sec. part from which
 a Sugar 24 in. dia. bears S 23 W 15 hrs. dist. 8
 a Fr. Oak 12 " " " N 23 E 18 " "
 54.30 a Beech 21 " "
 80.00 set part cor. of sec. 9, 10, 9 & 10 from which
 a B. Ash 8 in. dia. bears S 13 W 15 hrs. dist. 8
 a W. Oak 22 " " " N 31 W 23 " "
 Land as before noted.

T 26 N., R. 2 W. 2. Mer. Ind.?

Chr. Chr.

East on Random between Sec. 3 & 10

40.00 set temp. g. sec. post

80.00 Intersect N. & S. line 50 hrs. S. of post —

Land level 2nd rate, timber Oak & Hickory; Myr. Jun-
wood & Hickory

West Corrected between Sec. 3 & 10

40.00 set g. sec. post at aver. dist. from which

a Maple 27 in. diam. S 74° E 13 hrs. dist. S

a Burr Oak 5 " " " N 77° W 17 " "

80.00 to sec. cor.

North between Sec. 3 & 4

14.50 enter Willow Swamp

20.00 leave " "

21.29 an Elm 16 in. diam.

40.00 set g. sec. post from which

a W. Oak 6 in. diam. S 30° W 28 hrs. dist. S

a Do 36 " " " North 65 " "

59.81 a Burr Oak 33 " "

76.16 a Beech 24 " "

77.50 Intersect N. Boundary 17 hrs. N. of post —

set post at intersection cor. of sec. 3 & 4 from which

a Sugar 16 in. diam. S 68° E 16 hrs. dist. S

a Do 14 " " " N 46° W 20 " "

Land as before noted. February 14, 1829

West Corrected between Sec. 10 & 21

39.95 set g. sec. post at aver. dist. from which

a Sugar 24 in. diam. S 62° E 18 hrs. dist. S

a Beech 18 " " " N 81° W 54 " "

79.90 set post cor. of sec. 16, 17, 20 & 21 at aver. dist. from which

an Elm 18 in. diam. N 67° W 33 hrs. dist. S

a Beech 20 " " " S 50° E 27 " "

South between Sec. 20 & 21

T. 26 N., R. 2 W. 2. Mer. Ind.^a
Chas. L. H.

- 1.75 a Stream 110 ft. wide course SE
11.00 a Do 13 " " " " SW
23.47 a R. Oak 30 in. dia.
40.00 lot of sec. part from which
a Beech 32 in. dia. leans N 38 E 9 ft. dist. 3
a R. Oak 36 " " " " S 19 W 10 " " 5
59.82 an Elm 48 " "
69.85 a Stream 35 ft. wide course SE
80.00 lot part con. of sec. 20, 21, 28 & 29 from which
a W. Oak 24 in. dia. leans N 13 W 82 ft. dist. 3
a Do 24 " " " " S 10 W 50 " " 5
Land hilly & partly timbered Oaks & Beech W. Hazel
& Ironwood

Event as Random between Sec. 21 & 28

- 10.35 a Stream 35 W. wide course SE
14.00 a Do 37 " " " NE
23.20 a Do 40 " " " SE
34.20 a Do 42 " " " NE
40.00 Set temp. of sec. part
41.80 a Stream 50 W. wide course SE
49.96 Intersect N. & S. line 10 W. N. of part -
Land steeper as before noted

West Corrected between Sep. 21 & 28

- 39.98 set of sec. port at aver. dist. from which
a Lynn 24 in. dia. bears North 40. dist 3
a Buckeye 8 " " " West 7 " " "

South between Sept. 28 & 29

- 17.20 a Sugar 24 in. dia.
33.62 a B. Ark 30 " "
40.00 set of sec. part from which
a Sugar 20 in. dia. bears N 5 E 36 W. dist 3
u Do 17 " " S 12 E 51 " "

T. 26 N., R. 2 W. 2. Mer. Ind. ^a

Cm. 24.

54.69 a Sugar 18 in. dia.

71.25 dit port on NW side of Bonners Res. from which
a W. Oak 32 in. dia. bears N 21 W 30 lbs. dist. 8

a Do 28 " " " S 86 W 27 " "

Land level & T. rate, timber Sugar, Ash & Walnut
Upr. Elm &c.

East in Random between Sec. 20 & 29

40.00 dit temp. of sec. port

79.89 Intersect NW line 38 lbs. N. of port -

Land &c. the same as last noted

West Corrected between Sec. 20 & 29

39.94 dit of sec. port at aver. dist. from which

a W. Oak 20 in. dia. bears S 29 W 19 lbs. dist. 8

a Bur Oak 15 " " " N 24 E 26 " "

79.89 to sec. en. February 15. 1829

North between Sec. 16 & 17

1.00 a Stream 10 lbs. wide course SN

14.00 a Do 12 " " " " SE

14.54 an Elm 40 in. dia.

40.00 dit of sec. port from which

a Bur Oak 22 in. dia. bears S 33 W 11 lbs. dist. 8

a Do 10 " " " " N 15 E 21 " "

52.45 a Do 18 " " "

70.46 a Cottonwood 48 in. dia.

80.00 dit port cor. of Sec. 8, 9, 16 & 17 from which

a Bur Oak 12 in. dia. bears West 13 lbs. dist. 8

a Do 19 " " " " N 74 E 21 " "

Land level & T. rate, timber Bur Oak, Walnut,
Buckeye & Ash; Upr. Hazel & Spice

East in Random between Sec. 9 & 16

40.00 dit temp. of sec. port

62.05 a Stream 11 lbs. wide course SN

T. 26 N., R. 27 W. S. Mer. Ind.^a
 Chs. Lk.

80.00 Interest N. G. line 32 hrs. N. of port -
 Land & timber as before noted

West Corrected between Sec. 9 & 16

40.00 set of sec. port at aver. dist. from which
 an Ironwood 6 in. dia. bears S 85 E 19 hrs. dist. 8
 a Hickory 15 " " " N 43 W 3 " "
 80.00 to sec. cor.

North between Sec. 8 & 9

27.45 a Bur Oak 9 in. dia.

40.00 set of sec. port from which
 a S. Oak 24 in. dia. bears S 57 W 5 hrs. dist. 8
 an Elm 20 " " " S 64 E 16 " "

52.22 a Lr 36 " "

80.00 set port cor. of sec. 4 & 5, 8 & 9 from which
 a Bur Oak 16 in. dia. bears S 64 E 14 hrs. dist. 8
 a Lr 6 " " " N 85 W 10 " "
 Land as before noted

East on Random between Sec. 4 & 9

40.00 set temp. of sec. port

79.96 Interest N. G. line 99 hrs. N. of port -
 Land the same as before noted

West Corrected between Sec. 4 & 9

39.98 set of sec. port at aver. dist. from which
 an Elm 7 in. dia. bears N 32 W 16 hrs. dist. 8
 a Lr 7 " " " S 89 E 14 " "

79.96 to sec. cor.

North between Sec. 4 & 5

24.96 a Hickory 3 in. dia.

40.00 set of sec. port from which
 a Sugar 10 in. dia. bears S 29 W 19 hrs. dist. 8
 a B. Ash 22 " " " N 30 W 17 " "

T. 26 N., R. 24 W. 2. Mer. Ind. ^a

Chs. Lk.

63.88 a R. Oak 33 in. dia.

72.39 a B. Ash 16 " "

77.10 Intersection N. Boundary 111 lbs. E. of post -
 set post at intersection cor. of sec. 4 & 5 from which
 a R. Oak 30 in. dia. leans S 40 W 1 lb. dist. 8
 a Hickory 12 " " " N 40 E 10 " "
 Level 1st rate land &c.

West Connected between Sec. 17 & 20

39.95 set g. sec. post at aver. dist. from which
 a Hickory 6 in. dia. leans S 39 E 35 lbs. dist. 8
 a B. Ash 18 " " " West 1 " "

79.90 to cor. of sec. 17, 18, 19 & 20

North between Sec. 17 & 18

19.93 a R. Oak 36 in. dia.

40.00 set g. sec. post from which
 an Elm 6 in. dia. leans S 14 W 27 lbs. dist. 8
 a Sap. popl. 4 " " " N 13 E 4 " "

54.38 a R. Oak 20 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which
 a Hickory - in. dia. leans S 48 W 9 lbs. dist. 8
 a B. Ash 18 " " " N 2 E 14 " "
 Land level 2nd rate, timber Oak, Sugar & Beech
 Upr. Hazel &c.

East on Pradum between Sec. 8 & 17

40.00 set temp. g. sec. post

79.75 Intersection N. & S. line 19 lbs. N. of post -
 Land as before noted, February 16, 1829

West Connected between Sec. 8 & 17

39.87 1/2 set g. sec. post at aver. dist. from which
 a B. Ash 8 in. dia. leans S 63 W 22 lbs. dist. 8
 a Do 8 " " " S 59 E 12 " "

79.75 to sec. cor.

T. 26 N., R. 2 W., S. 2 E., Sec. 18

Ch. 18.

West between Sec. 7 & 18

16.00 a Stream 16 hrs. wide come S.

29.00 a Cherry 9 in. dia.

40.00 set of sec. part from which

an Ironwood 12 in. dia. bears N 40 E 15 hrs. dist. 3

an Elm 5 " " " S 40 W 21 " "

51.83 a W. Oak 36 " "

56.25 a Stream 16 hrs. wide come S E

77.61 Intersection W. Boundary 200 hrs. S. of part -

set part at intersection cor. of sec. 7 & 18 from which

a Bur Oak 18 in. dia. bears S 42 W 35 hrs. dist. 3

a Do 19 " " " S 61 E 16 " "

Land 2. rate, timber Oaks & Ash 2 1/2. Hazel & Oak

North between Sec. 7 & 8

30.72 a Maple 42 in. dia.

40.00 set of sec. part from which

a B. Ash 14 in. dia. bears S 60 W 8 hrs. dist. 3

a Bur Oak 30 " " " N 40 E 21 " "

57.93 a B. Ash 12 " "

80.00 set part cor. of sec. 5, 6, 7 & 8 from which

a Bur Oak 14 in. dia. bears S 56 W 17 hrs. dist. 3

an Elm 20 " " " North 43 " "

Land as before noted

East on Random between Sec. 5 & 8

40.00 set temp. of sec. part

79.95 Intersection N & S. 4 hrs. N. of part -

Land & timber as before noted

West Connected between Sec. 5 & 8

39.97 that of sec. part at aver. dist. from which

an Elm 10 in. dia. bears S 39 E 32 hrs. dist. 3

a Ash 12 " " " N 83 W 23 " "

79.95 to sec. cor.

T. 26 N., R. 2 W., S. 2 Mer. Ind. a

Chs. Chs.

West between Sec. 6 & 7

16.25 a Stream 15 lbs. wide course SE

19.90 a Bur Oak 40 in. dia.

40.00 set of sec. part from which

a W. Oak 10 in. dia. bears S 70 E 12 lbs. dist. 8

a Do 6 " " " N 20 W 54 " "

61.32 a Bur Oak 30 " "

77.80 Intersect W. Boundary 280 lbs. S. of port -

set port at intersection cr. of sec. 7 from which

a Bur Oak 24 in. dia. bears S 49 W 25 lbs. dist. 8

a Do 18 " " " N 28 E 69 " "

Sand level 2. rate, timber Oak, no Wgs.

North between Sec. 5 & 6

23.22 a S. Ash 6 in. dia.

40.00 set of sec. part from which

a Hickory 22 in. dia. bears S 29 W 20 lbs. dist. 8

a Do 22 " " " N 45 E 30 " "

51.33 a Bur Oak 22 " "

51.50 enter wet Prairie

76.37 Intersect W. Boundary 154 lbs. E. of port -

set port at intersection cr. of sec. 5 & 6 from which

where raised a mound (no bearing trees)

Sand level 2. rate, timber Oak, Wgs. Hazel & Ash

February 17, 1829

Meanders of Wabash River, Commencing at the upper corner of Benners Reserve, thence up stream on right bank:

Courses	Dists Chs. Lbs.	Remarks
N 75 E	5.12	In Sec. 26
N 84 E	14.44	
N 76 E	6.24	
N 60 E	12.61	
N 44 E	10.37	

T. 26 N., R. 2 W. 2. Mer. Ind.^a

Course Etc. Etc.

Remarks

N33E 22.71 to port in line between Sec. 23 & 26

N36E 8.31 In Sec. 23

N44E 13.23

N58E 4.78

N65E 2.24 to port in line between Sec. 23 & 24

N65E 5.00 In Sec. 24 - Intended Reserve for Cicott's children. February 18. 1829

Pursuant to a contract dated 15th of August 1828 and instructions from Edward Tiffin Surveyor General of the United States, I have surveyed and subdivided into sections the above Township in the State of Indiana, described in said contract, and I certify that the foregoing are correct and true field notes of the lines which they purport to be as a part of said contract.

Certified this 30th day of March 1829
David Willis
Dep. Surveyor

I certify that the foregoing transcript of Field Notes of the survey of Township N: 26 North, in Range N: 2 West of the 2^d Principal Meridian, Indiana, has been compared with the original on file in this office, and found to be correct.

Surveyor General's Office }
Cincinnati, Oct 13. 1842 }

William Johnston
Sur. General